

## 7. Per Fire Marshall Guidelines:

- a. There shall be NO plastic or vinyl material in the buildings, coverings for stalls or used for temporary security of retail storefronts.
- b. No construction will be permitted to reduce any main aisle less than 10 feet. No construction on the side aisles will be permitted to reduce less than 50% of aisle. Stall curtains may be used in side aisles, no permanent or solid structures are permitted (doors, walls, etc.)
- c. Only stalls used for tack storage, entertainment or sleeping can be covered on the top, and will require a smoke detector.
- d. The stalls can only be covered in a red rosin construction grade paper, butcher block paper, cheesecloth, either regular or restaurant type grade. Wood strapping - 3' maximum on center to attach paper is allowed.
- e. Sleeping areas are to be equipped with a smoke detector and fire extinguisher.
- f. Any aisle space between stalls can be covered only if equal open space to material does not exceed 4 feet. If your material is a maximum of 4 feet then the space between the material shall be a minimum of 4 feet. No continuous two stalls shall be covered at any time.
- g. The maximum overall height of construction is 12 feet from the ground to the top of the highest point of construction. Stall walls are 8 feet tall, additional construction may be a maximum of 4 feet above the stall wall.
- h. Combustible materials shall be **treated** in accordance with NFPA 701 to make them flame retardant and a certificate or similar proof should be supplied to the Oklahoma City Fire Marshals Office prior to its placing. Material that is being treated by user must be done in the presence of an Inspector from the City of Oklahoma City Fire Marshals Office.
- i. Stall fronts shall not exceed out from stalls any further than 4 feet from the base of the original stall wall.
- j. No portable heaters of any type are allowed in the Oklahoma City Fairgrounds livestock facilities.
- k. No tents or canopies are allowed insure the barns, arena or livestock areas.
- l. No hay, straw, shavings or similar combustible materials used for decorations are permitted within any facility unless they have been **treated** in accordance with NFPA 701 to make them flame retardant and a certificate is supplies to the Oklahoma City Fire Marshals Office. (Hay or straw for animals is permissible and can be kept in stall areas for feeding and/or bedding.
- m. Combustible trash shall be removed at least once a day during the period the area/exhibit is occupied.

8. Construction on stall fronts may not begin prior to horse move-in, based on the approved time from the venue. This time will be posted in the event schedule on the event website. Construction must be completed by 6am the first day of the show.

9. Stall dividers may be removed for \$550 per divider. Stall dividers may only be removed by Oklahoma State Fair Park. Please contact the show office to arrange removal.